

Mounted Points



MX Mounted Points

Efvevmzi mqtvikrexih gsxxsr „fiv qsyxih tsmrxw evi used for chamfering, deburring, cleaning, blending and „rmwlmrk2 Mhiep jsy ywi sr wxemrpiww wxiip0 epyqmryq0 qmph steels and exotic metals. Non-loading on aluminum, brass and other non-ferrous metals.

Bond/Hardness:

Soft=GFX (latex bond), Medium=JTX (resin bond), Hard=MTX (resin bond)

Epp {mxl 53<& qerhvip2 pieces per package.

Sxliv wletiw0 wm~iw erh kvmxw ezemepfi ytsr uiuyiwx2

MX Mounted Points Sizes - (inches) Shape / Diameter / Thickness		80 GRIT	120 GRIT	180 GRIT
W154 3/16 x 1/2	Hard	202532	202535	202538
	Medium	202531	202534	202537
	Soft	202530	202533	202536
W163 1/4 x 1/2	Hard	202544	202547	202550
	Medium	202540	202546	202549
	Soft	202539	202545	202548
W176 3/8 x 1/2	Hard	202553	202556	202559
	Medium	202552	202555	202558
	Soft	202551	202554	202557
W185 1/2 x 1/2	Hard	202664	202667	202670
	Medium	202663	202666	202669
	Soft	202662	202665	202668



Mounted Points




Megabrite Mounted Points

Megabrite Mounted Points are the optimal mounted points for precision machine and cast parts. They conform to the shape of the piece and wear slowly, providing a long life. They are used on stainless steel, aluminum and exotic metals.

Approximately 53 pieces per package.
 Available in Medium and Fine Soft grades.
 Epyqmryq S|mhj wtigm, „gexmsr> Qihmyq
 Wmpmgsr Gevf mhi wtigm, „gexmsr> Jmri1Wsjx

Megabrite Mounted Points Sizes - (inches) Shape / Diameter / Thickness		Medium	Fine Soft
W154	3/16 x 1/2	202671	202672
W163	1/4 x 1/2	202673	202674
W176	3/8 x 1/2	202675	202676
W185	1/2 x 1/2	202677	202678



Mounted Points



Premium Purple Mounted Points

Premium Purple Mounted Points are manufactured with Premium Pink fused aluminum oxide grain combined with yrmuyi Wsp Kip giveqmg kvemr jsv er ilxviqip} psrk pewxmrk0 but cool cutting mounted point. Double the life of a standard mounted point in most cases, the Premium Purple can fi ywih sr epp jivvsyw * rsr1jivvsyw qexivmepw2 Xli} sOiv less loading and cooler running lessening the possibility of thermal damage during polishing. Other shapes and sizes ezempefpi ytsr viuyiw2

Epp {mxl 53<& qerhviq25 pieces per package.

Also available in money saving kits.
SEE PAGE 91

B Shape Standard Purple Mounted Points Shape / Diameter / Thickness	80 GRIT	100 GRIT	120 GRIT
B43 1/4 x 5/16	241110		
B44 7/32 x 3/8		241134	
B45 3/16 x 5/16		241138	
B51 7/16 x 3/4	241114		
B52 3/8 x 3/4	241118		
B53 1/4 x 5/8			241154
B55 1/8 x 1/4			241158
B73 1/2 x 1/8	241122		
B97 1/8 x 3/8			241162
B103 5/8 x 3/16		241142	
B123 3/16 x 3/16		241146	
B124 1/8 x 1/8			241166
B125 1/4 x 1/4		241150	
B132 3/8 x 1/2	241126		
B135 1/4 x 1/2	241130		



Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.



Mounted Points



Premium Purple Mounted Points

Premium Purple Mounted Points are manufactured with Premium Pink fused aluminum oxide grain combined with yrmuyi Wsp Kip giveqmg kvemr jsv er ilxviqip} psrk pewxmrk0 but cool cutting mounted point. Double the life of a standard mounted point in most cases, the Premium Purple can fi ywih sr epp jivvsyw * rsr1jivvsyw qexivmepw2 Xli} sOiv less loading and cooler running lessening the possibility of thermal damage during polishing. Other shapes and sizes ezempefpi ytsr viuyiw2

Epp {mxl 7qq qerhvip225 pieces per package.

Also available in money saving kits.
SEE PAGE 91

B Shape Metric Purple Mounted Points Shape / Diameter / Thickness		80 GRIT	100 GRIT	120 GRIT
B43	1/4 x 5/16	241112		
B44	7/32 x 3/8		241136	
B45	3/16 x 5/16		241140	
B51	7/16 x 3/4	241116		
B52	3/8 x 3/4	241120		
B53	1/4 x 5/8			241156
B55	1/8 x 1/4			241160
B73	1/2 x 1/8	241124		
B97	1/8 x 3/8			241164
B103	5/8 x 3/16		241144	
B123	3/16 x 3/16		241148	
B124	1/8 x 1/8			241168
B125	1/4 x 1/4		241152	
B132	3/8 x 1/2	241128		
B135	1/4 x 1/2	241132		



Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.

Mounted Points




Premium Purple Mounted Points

Premium Purple Mounted Points are manufactured with Premium Pink fused aluminum oxide grain combined with yrmuyi Wsp Kip giveqmg kvemr jsv er ilxviqip} psrk pewxmrk0 but cool cutting mounted point. Double the life of a standard mounted point in most cases, the Premium Purple can fi ywih sr epp jivvsyw * rsr1jivvsyw qexivmepw2 Xli} sOiv less loading and cooler running lessening the possibility of thermal damage during polishing. Other shapes and sizes ezemepfpi ytsr viuyiw2

Epp {mxi 53<& qerhviq25 pieces per package.

Also available in money saving kits.
SEE PAGE 91

W Shape Standard Purple Mounted Points		80 GRIT	100 GRIT	120 GRIT
Shape / Diameter / Thickness				
W142	3/32 x 1/4			241216
W144	1/8 x 1/4			241220
W145	1/8 x 3/8			241224
W146	1/8 x 1/2			241228
W152	3/16 x 1/4	241170		
W153	3/16 x 3/8	241174		
W154	3/16 x 1/2	241178		
W160	1/4 x 1/4	241182		
W162	1/4 x 3/8	241188		
W163	1/4 x 1/2	241192		
W164	1/4 x 3/4		241208	
W175	3/8 x 3/8	241196		
W176	3/8 x 1/2	241200		
W182	1/2 x 1/8		241212	
W185	1/2 x 1/2	241204		



Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.

Mounted Points



Premium Purple Mounted Points

Manufactured with Premium Pink fused aluminum oxide, these mounted points are extremely long lasting, but cool cutting mounted point. Double the life of a standard mounted point in most cases, the Premium Purple can be used on all ferrous & non-ferrous materials, lessening the possibility of thermal damage during polishing. Slightly less expensive than standard mounted points.

Each package contains 25 pieces per package.

Also available in money saving kits.
SEE PAGE 91

W Shape Metric Purple Mounted Points Shape / Diameter / Thickness		80 GRIT	100 GRIT	120 GRIT
W142	3/32 x 1/4			241218
W144	1/8 x 1/4			241222
W145	1/8 x 3/8			241226
W146	1/8 x 1/2			241230
W152	3/16 x 1/4	241172		
W153	3/16 x 3/8	241176		
W154	3/16 x 1/2	241180		
W160	1/4 x 1/4	241184		
W162	1/4 x 3/8	241190		
W163	1/4 x 1/2	241194		
W164	1/4 x 3/4		241210	
W175	3/8 x 3/8	241198		
W176	3/8 x 1/2	241202		
W182	1/2 x 1/8		241214	
W185	1/2 x 1/2	241206		



"W" Shape Points

Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.

Mounted Points



Mounted Points

Our standard lines of mounted abrasive points are manufactured from premium aluminum oxide and special bonding materials to assure rapid stock removal and long life. Carefully formed and securely mounted on the mandrels to run true.


Red: 60-80 grit

Blue: 120 grit

25 pcs per package.

Also available in money saving kits.
SEE PAGE 91

"B" Shape Sizes - (inches) Shape / Diameter / Thickness		RED	BLUE
B42	1/2 x 3/4	204281	204283
B44	7/32 x 3/8	204481	204483
B45	3/16 x 5/16		204583
B51	7/16 x 3/4		205183
B52	3/8 x 3/4	205281	205283
B53	1/4 x 5/8	205381	205383
B55	1/8 x 1/4	205581	205583
B91	1/2 x 5/8	209181	
B96	1/8 x 1/4	209681	209683
B97	1/8 x 3/8	209781	209783
B98	3/32 x 1/4		209883
B105	1/4 x 1/4		210583
B112	3/8 x 1/2		211283
B121	1/2 x 1/2		212183
B122	3/8 x 3/8		212283
B123	3/16 x 3/16	212381	212383
B124	1/8 x 1/8	212481	212483
B125	1/4 x 1/4	212581	212583
B132	3/8 x 1/2	213281	
B133	3/8 x 3/8		213383
B135	1/4 x 1/2	213581	213583



Truing Stones

298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.



Mounted Points



Mounted Points


Our standard lines of mounted abrasive points are manufactured from premium aluminum oxide and special bonding materials to assure rapid stock removal and long life. Carefully formed and securely mounted on the mandrels to run true.

Red: 60-80 grit Blue: 120 grit

Epp {mxi 7qq qerhvip} 225 pieces per package.
100 piece minimum order.

Also available in money saving kits.
SEE PAGE 91

Metric "B" Shape Sizes - (inches) Shape / Diameter / Thickness		RED	BLUE
B41	5/8 x 5/8		204133
B44	7/32 x 3/8	204431	204433
B45	3/16 x 5/16	204531	204533
B52	3/8 x 3/4	205231	205233
B53	1/4 x 5/8	205331	205333
B55	1/8 x 1/4	205531	205533
B91	1/2 x 5/8		209184
B96	1/8 x 1/4	209631	209633
B97	1/8 x 3/8	209731	209733
B98	3/32 x 1/4	209831	209833
B123	3/16 x 3/16	212331	212333
B124	1/8 x 1/8	212431	212433
B132	3/8 x 1/2	213231	213233
B133	3/8 x 3/8	213331	213333
B135	1/4 x 1/2	213531	213533



Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.

Mounted Points



Mounted Points

Our standard lines of mounted abrasive points are manufactured from premium aluminum oxide and special bonding materials to assure rapid stock removal and long life. Carefully formed and securely mounted on the mandrels to run true.

Red: 60-80 grit

Blue: 120 grit

Epp {mxi 53<& qerhvip ilgitx jsv [664 ,538&-2
25 pieces per package.

Also available in
money saving kits.
SEE PAGE 91

"W" Shape Sizes - (inches)		RED	BLUE
Shape / Diameter / Thickness			
W142	3/32 x 1/4	214281	214283
W144	1/8 x 1/4	214481	214483
W145	1/8 x 3/8	214581	214583
W146	1/8 x 1/2	214681	214683
W153	3/16 x 3/8	215381	215383
W154	3/16 x 1/2	215481	215483
W160	1/4 x 1/4		216083
W161	1/4 x 5/16		216183
W162	1/4 x 3/8	216281	216283
W163	1/4 x 1/2	216381	216383
W170	5/16 x 1/2	217081	217083
W176	3/8 x 1/2	217681	217683
W185	1/2 x 1/2		218583
W200	3/4 x 1/8	220081	220083
W220	1 x 1	222041	



"W" Shape Point

Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.

Mounted Points



Mounted Points

Our standard lines of mounted abrasive points are manufactured from premium aluminum oxide and special bonding materials to assure rapid stock removal and long life. Carefully formed and securely mounted on the mandrels to run true.


Red: 60-80 grit

Blue: 120 grit

Epp {mxi 7qq qerhvip} 225 pieces per package.
100 piece minimum order.

Also available in
money saving kits.
SEE PAGE 91

Metric "W" Shape Sizes - (inches) Shape / Diameter / Thickness		RED	BLUE
W142	3/32 x 1/4	214231	214233
W144	1/8 x 1/4	214431	214433
W145	1/8 x 3/8	214531	214533
W146	1/8 x 1/2	214631	214633
W149	5/32 x 1/4	214931	214933
W153	3/16 x 3/8	215331	215333
W154	3/16 x 1/2	215431	215433
W160	1/4 x 1/4	216031	216033
W162	1/4 x 3/8	216231	216233
W163	1/4 x 1/2	216331	216333
W171	5/16 x 3/4		217133
W176	3/8 x 1/2	217631	217633



Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.

Mounted Points




Mounted Points

Our standard lines of mounted abrasive points are manufactured from premium aluminum oxide and special bonding materials to assure rapid stock removal and long life. Carefully formed and securely mounted on the mandrels to run true.

Red: 60-80 grit Blue: 120 grit White: 400 grit
 Epp (mxl 7376& qerhvip) 25 pcs per package.

Polishing Points Sizes - (inches) Shape / Diameter / Thickness	RED	BLUE	WHITE
HP3 1/4 x 7/64			290352
HP12 1/8 x 1/4	291251	291253	291252
HP22 13/64 x 11/32			292252
HP23 .131 x 13/32		292353	
HP26 1/8 x 9/32		292653	292652
HP28 3/32 x 17/64		292853	
HP59 1/4 x 1/2		295953	
HP60 3/16 x 1/2	296051		



Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.

Mounted Points



Mounted Points


Our standard lines of mounted abrasive points are manufactured from premium aluminum oxide and special bonding materials to assure rapid stock removal and long life. Carefully formed and securely mounted on the mandrels to run true.

53 pieces per package.

Ceramic Points Sizes - (inches)		Item
Shape / Diameter / Thickness		
B96	1/8 x 1/4	209680
B97	1/8 x 3/8	209780
B123	3/16 x 3/16	212380
W163	1/4 x 1/2	216380



Cotton Fiber Sizes - (inches)	80			120			180		
	Shape / Diameter / Thickness								
W144	1/8 x 1/4	251441	251444	251446					
W154	3/16 x 1/2	251541	251544	251546					
W163	1/4 x 1/2	251631	251634	251636					
W176	3/8 x 1/2	251761	251764	251766					
W185	1/2 x 1/2	251851	251854	251856					



Truing Stones



298905 (V-Grooves) / 298906 (Rounded Grooves)

Coarse silicon carbide stone with 1/16", 1/8", 3/16" and 1/4" grooves. Used to dress, shape and clean mounted points and abrasive stones. Quickly reshapes and resurfaces to like-new condition.